

Nutwell South--Road

Joe Deegan [j.deegan@rpp.co.uk]

Sent: 22 March 2013 17:01

To: Iain

Iain

The estimated cost for the relief road as detailed in our letter dated 12 March 2012 was for a 9m wide carriageway plus 3m wide footpaths either side 950m long at 1,780,000.00 or £1,874/m

For a main distributor road for a housing scheme you might be looking at a 7.3m wide carriageway plus 2m wide footpaths either side 950m long . This would reduce the estimated cost to £1,440,000.00 or approx. £1,515/m

Costs are exclusive of Preliminaries, Contingencies and Fees as instructed previously and assumptions etc as stated in our letter dated 12 March 2013 would still apply

Kind Regards

Joe Deegan
Director



(m) 07803 798632 (t) 01274 693622 (f) 01274 693572 - Bradford, Leeds, London & Maidenhead
Blenwood Court, 451 Cleckheaton Road, Low Moor, Bradford, BD12 0NY

www.rpp.co.uk

RPP Energy Services Ltd will be exhibiting at the Buy Yorkshire Conference 2013 on the 24-25th April – meet our team at Stand 50

Rex Procter & Partners is a trading name of RPP Limited Registered in England 07159352 Registered Office: Mazars House, Gelderd Road, Leeds LS27 7JN. A full list of Directors is available from our office.

The information contained in this email is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. If you have received this email in error please note that any review, retransmission, copying, dissemination or other use of, or taking of any action in reliance upon its contents is prohibited. If you are not an intended recipient, please delete the material from any computer that may have it and contact Rex Procter & Partners IT Helpdesk on 01274 693622 or send an email to itdepartment@rpp.co.uk. Thank you for your co-operation.

The content of this email and any attachment may contain software viruses which could potentially damage your computer system. It is the responsibility of the recipient to virus scan both this email together with any attachments.

Please consider the environment before printing this e-mail